

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3055	709/231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/10 17:14
L2	1056	709/234	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/10 17:14
S1	4492289	data information packet\$2 request request\$3 notif\$6 input patch\$3 cook\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 15:44
S2	2923766	client\$2 user\$2 terminal\$2 administrator\$2 customer\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 15:46
S3	1476647	server\$2 controller\$2 processor\$2 manager\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 15:47
S4	7649026	instruction\$2 rul\$2 direction\$2 path\$2 guidance command\$2 order\$2 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 15:49
S5	3462334	memor\$3 buffer\$3 FIFO container\$3 storag\$3 repositor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:10
S6	157500	tree	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:29
S7	1939369	node\$2 gateway\$2 router\$2 terminal\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:11

EAST Search History

S8	8120227	configur\$6 format\$3 struct\$3 alter\$3 chang\$3 construct\$3 modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:25
S9	3170319	format\$3 composition layout	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:22
S10	7010379	execut\$3 implement\$3 perform\$3 acquir\$3 obtain\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:23
S11	3988254	propert\$3 characteristic\$2 trait\$3 parameter\$3 sector\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:31
S12	6592606	result\$2 report\$2 document\$2 summeriz\$3 statement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/13 16:32
S13	10564837	S11 with\$ S1 with\$ S4 with\$ S2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:21
S14	4492289	data information packet\$2 request request\$3 notif\$6 input patch\$3 cook\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S15	2923766	client\$2 user\$2 terminal\$2 administrator\$2 customer\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S16	1476647	server\$2 controller\$2 processor\$2 manager\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S17	7649026	instruction\$2 rul\$2 direction\$2 path\$2 guidance command\$2 order\$2 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10

EAST Search History

S18	3462334	memor\$3 buffer\$3 FIFO container\$3 storag\$3 repositor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S19	157500	tree	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S20	1939369	node\$2 gateway\$2 router\$2 terminal\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S21	8120227	configur\$6 format\$3 struct\$3 alter\$3 chang\$3 construct\$3 modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S22	3170319	format\$3 composition layout	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S23	7010379	execut\$3 implement\$3 perform\$3 acquir\$3 obtain\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S24	3988254	propert\$3 characteristic\$2 trait\$3 parameter\$3 sector\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S25	6592606	result\$2 report\$2 document\$2 summeriz\$3 statement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S26	10564837	S24 with\$ S14 with\$ S17 with\$ S15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:10
S27	4492289	data information packet\$2 request request\$3 notif\$6 input patch\$3 cook\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12

EAST Search History

S28	2923766	client\$2 user\$2 terminal\$2 administrator\$2 customer\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S29	1476647	server\$2 controller\$2 processor\$2 manager\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S30	7649026	instruction\$2 rul\$2 direction\$2 path\$2 guidance command\$2 order\$2 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S31	3462334	memor\$3 buffer\$3 FIFO container\$3 storag\$3 repositor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S32	157500	tree	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S33	1939369	node\$2 gateway\$2 router\$2 terminal\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S34	8120227	configur\$6 format\$3 struct\$3 alter\$3 chang\$3 construct\$3 modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S35	3170319	format\$3 composition layout	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S36	7010379	execut\$3 implement\$3 perform\$3 acquir\$3 obtain\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S37	3988254	propert\$3 characteristic\$2 trait\$3 parameter\$3 sector\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12

EAST Search History

S38	6592606	result\$2 report\$2 document\$2 summeriz\$3 statement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S39	10564837	S24 with5 S14 with5 S17 with5 S15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:12
S40	2937348	S26 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:21
S41	15052	(S14 near10 S24) with (S15 near10 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:26
S42	5916	(S17 near10 S14) same (S14 with S22 with S24)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:27
S43	5558456	search\$3 seek\$3 find\$3 explor\$3 inquir\$3 prob\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:31
S44	2	S43 same (S19 near10 structure) same (S21 near10 S14) same (S17 near10 S22 near10 S24)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:37
S45	293812	(S36 near10 S17) same S38	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:49
S46	1	S39 and S40 and S41 and S42 and S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:45
S47	455	S39 and S40 and S41 and S42 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 10:45

EAST Search History

S48	115	S47 and JAVA and program\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S49	78	S48 and (@ad<"20011226" @ad<"20011226")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 11:23
S50	78	S48 and (@ad<"20001222" @ad<"20011222")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 11:23
S51	4492289	data information packet\$2 request request\$3 notif\$6 input patch\$3 cook\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S52	2923766	client\$2 user\$2 terminal\$2 administrator\$2 customer\$2 consumer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S53	7649026	instruction\$2 rul\$2 direction\$2 path\$2 guidance command\$2 order\$2 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S54	3462334	memor\$3 buffer\$3 FIFO container\$3 storag\$3 repositor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S55	3170319	format\$3 composition layout	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S56	3988254	propert\$3 characteristic\$2 trait\$3 parameter\$3 sector\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S57	10564837	S56 with5 S51 with5 S53 with5 S52	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38

EAST Search History

S58	7010379	execut\$3 implement\$3 perform\$3 acquir\$3 obtain\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S59	6592606	result\$2 report\$2 document\$2 summeriz\$3 statement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S60	10564837	S56 with5 S51 with5 S53 with5 S52	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S61	2937348	S57 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S62	15052	(S51 near10 S56) with (S52 near10 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S63	5916	(S53 near10 S51) same (S51 with S55 with S56)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S64	293812	(S58 near10 S53) same S59	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S65	455	S60 and S61 and S62 and S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:38
S66	9	S65 and JAVA and program\$3 and Trie	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:57
S67	65957	trie	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:41

EAST Search History

S68	18	S65 and JAVA and program\$3 and (Trie (tree near10 structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 12:57
S69	1894	tree same root\$2 same search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:39
S70	2657483	propert\$3 adj\$2 parameter\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:40
S71	1265	S69 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:42
S72	212270	execut\$3 near10 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:40
S73	1265	S69 and S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:41
S74	642	client\$2 same propert\$3 same parameter\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:41
S75	10	S69 and S70 and S72 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:42
S76	10	S75 and (@ad<"20011226" @rlad<"20011226")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:43
S77	10	S76 and Java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/10/17 10:43